

TABLE OF CONTENTS

PREFACE	9
CHAPTER I. GENERAL INFORMATION	11
Tables	
Table 1-1. Greek alphabet.....	13
Table 1-2. A set of multiple and sub-multiple prefixes.....	13
Table 1-3. Base and derived units of the SI system (chosen quantities).....	14
Table 1-4. Conversion of selected technical units to SI units.....	15
Table 1-5. Conversion factors of selected dimensions from U.S./British to SI units.....	15
Table 1-6. Reading data and rules for determining intermediate values given in tables.....	16
Table 1-7. Notation of basic calculation parameters (selected quantities).....	17
 CHAPTER II. PROPERTIES OF SUBSTANCES	 19
Figures	
Fig. II. 1. Generalized compressibility factor.....	32
Fig. II. 2. Reduced coefficient of dynamic viscosity of gases.....	33
Fig. II. 3. Chart of Lewis-Squires - generalized liquid viscosity coefficient.....	48
 Tables	
Table II-1. General systematics of fluids and their properties.....	21
Table II-2. Definitions of fractional composition of mixtures and their conversion rates.....	22
Table II-3. Basic formulas for calculating and estimating the properties of gases and their mixtures.....	24
Table II-4. Basic formulas for calculating the properties of liquid mixtures.....	27
Table II-5. Physical properties of selected substances.....	28
Table II-6. Dynamic viscosity of gases η , $\cdot 10^4$ Pa-s ($P = 10^5$ Pa).....	30
Table II-7. Thermal conductivity λ W/(m-K) of gases and vapours at different temperatures ($P = 10^5$ Pa).....	31
Table II-8. Dynamic viscosity of selected substances in the critical conditions.....	34
Table II-9. The dynamic viscosity of gases: reference parameters of η_0 and C in Sutherland's formula and η_{JT} expression in Hering-Zipfer equation for mixture of gases ($P < 2$ MPa).....	35
Table II-10. Thermal conductivity of gases: reference parameters of λ_0 and C in Sutherland's formula ($P < 1$ MPa).....	36

Table 11-11.	Parameters in the formula for thermal conductivity of gases.....	36
Table 11-12.	Density of liquids and aqueous solutions.....	37
Table 11-13.	Specific heat of liquid and aqueous solutions.....	38
Table 11-14.	Dynamic viscosity of liquid and aqueous solutions.....	39
Table 11-15.	Thermal conductivity of liquids and aqueous solutions.....	41
Table 11-16.	Physical parameters of water.....	42
Table 11-17.	Physical properties of selected solid and construction materials.....	44
Table II-18	Selected properties of bulk solids	46
Table 11-19	Shear stress in bulk materials.....	47
Table 11-20	Compressive and tensile strength of various solid materials.....	47

CHAPTER III. HYDRODYNAMICS PROCESSES.....49

III.1. Fluids Flow.....51

Figures

Fig. III.1.	Friction factor for fully developed flow in circular pipe (<i>Moody diagram</i>).....	57
Fig. III.2.	Basic types of process pump systems.....	58
Fig. III.3.	Gas-liquid mixture flow patterns in vertical pipe (up-flow).....	66
Fig. III.4.	Flow regime map of Troniewski-Ulbrich (1989) for gas-liquid mixture flow in vertical pipe (up-flow).....	66
Fig. III.5.	Gas-liquid mixture flow patterns in horizontal pipe.....	67
Fig. III.6.	Flow regime map compiled by Baker (1954) for gas-liquid mixture flow in horizontal pipe.....	67
Fig. III.7.	Gas-liquid mixture flow patterns in vertical pipe (down-flow)	67

Tables

Table III-I.	Fluids flow characteristic.....	51
Table III-2.	Flow balance equations.....	52
Table III-3.	Pressure drop.....	53
Table III-4.	Approximate values for the equivalent length of straight pipe for fittings and valves.....	56
Table III-5.	Operating characteristics of impeller pumps.....	59
Table III-6.	Multiphase flow - description of parameters for two-phase gas-liquid flow.....	60
Table III-7.	Pressure drop in two-phase gas-liquid flow.....	62
Table III-8.	Hydrodynamics of bubbly flow.....	68

III.2. Settling and Sedimentation.....69

Figures

Fig. III.8.	Sedimentation diagram for calculation of Reynolds number and drag coefficient for settling of solid particles in a fluid.....	73
-------------	--	----

Fig. III.9.	Drag coefficient C and particle sphericity ϕ as a function of Reynolds number.....	74
-------------	---	----

Tables

Table III—9.	Free settling of a spherical particle.....	69
Table III-10.	Hindered settling of concentrated suspensions.....	75

111.3. Mixing in Liquid Phase.....79

Figures

Fig. III.10.	Coefficient of power demand vs Reynolds number for different types of impellers.....	86
Fig. III. 11.	Characteristics of the power number vs Reynolds number for different types of impellers.....	89

Tables

Table III—11.	Mixing and agitation of fluids.....	79
Table 111-12.	Power demand of mixing.....	82
Table III-13.	Types and the geometrical parameters of impellers - explanation to Fig. III.9.....	87
Table III-14.	Types and geometrical parameters of impellers - explanation to Fig. III. 10.....	90
Table III-15.	Impellers and flow patterns.....	91

111.4. Storage Tanks Technology.....92

Tables

Table III-16.	Storage of liquids, gases and solid materials.....	92
---------------	--	----

CHAPTER IV. HEAT TRANSFER.....97

Figures

Fig. IV. 1.	Heat losses of insulated pipes.....	115
Fig. IV.2.	Heat losses from insulated flat surface.....	116
Fig. IV.3.	Heat transfer coefficient (CHT) for forced convection during water flow in the pipe.....	117
Fig. IV.4.	Heat transfer coefficient (CHT) for forced convection during air flow in the pipe ($t = 15^{\circ}\text{C}$, $P = 101.3\text{ kPa}$).....	118
Fig. IV.5.	Two-pass fixed-tube heat exchanger.....	124
Fig. IV.6.	Shell and tube heat exchangers.....	125
Fig. IV.7.	Temperature distribution in cross-flow heat exchanger.....	131
Fig. IV.8.	Heat exchanger design algorithm - LMTD method.....	133

Tables

Table IV-1.	Basic mechanisms of heat transfer.....	99
Table IV-2.	Calculation cases for convection heat transfer.....	107

Table IV-3.	Constant values and exponents in the Nusselt criterion describing the more important cases of heat transfer.....	111
Table IV-4.	Heat transfer criterions for thermal insulation.....	113
Table IV-5.	Convective heat transfer coefficient (CHT) for different conditions.....	119
Table IV-6.	Convective heat transfer coefficient (CHT) for different heat transfer processes.....	119
Table IV-7.	Overall heat transfer coefficient (OHTC) for various cases of heat transfer.....	120
Table IV-8.	Typical ranges or magnitudes of overall heat transfer coefficient (OHTC).....	120
Table IV-9.	Thermal resistance of fouling, R_h - one side (inner or outer)...	121
Table IV-10.	Overall thermal resistance of fouling deposits, R_i - both side	123
Table IV-11.	Main design conditions for heat exchangers.....	126
Table IV-12.	Schemes and the temperature profiles for LMTD method.....	128
Table IV-13.	Correction factor e_r for single pass cross-flow heat exchangers.....	131
Table IV-14.	Thermal effectiveness of heat exchangers - NTU method.....	132

CHAPTER V. DESIGN GUIDELINES FOR PRESSURE VESSELS AND HEAT EXCHANGERS.....135

V.1. General Principles for Structural and Strength Calculations.....137

Tables

Table V-1.	Nominal calculation parameters - design pressure and temperature.....	137
Table V-2.	Stress state for a revolution shell loaded with internal pressure.....	138
Table V-3.	Allowable stresses design (ASD) method.....	142
Table V-4.	Determining the nominal wall thickness of rotation elements.	144
Table V-5.	Maximum negative technological allowance for steel sheets	145
Table V-6.	Corrosion allowance.....	145
Table V-7.	Strength factor of the welded joint.....	146

V.2. Design of Apparatus Elements.....148

Figures

Fig. V.1.	Manufacturing forms of cylindrical shell.....	148
Fig. V.2.	Manufacturing forms of welded dished bottoms.....	154
Fig. V.3.	Structural types of tube sheets.....	162
Fig. V.4.	Tube pitches arrangement.....	162
Fig. V.5.	Types of tube sheet construction.....	167
Fig. V.6.	Structural types of flat (orifice) flange.....	168
Fig. V.7.	Structural types of neck flange.....	169

Fig. V.8.	Structural solutions of fixed flanges.....	171
Fig. V.9.	Structural conditions for connections of the stub end with the fixed flange to the apparatus shell.....	172

Tables

Table V-8.	Diameter of cylindrical shell rolled from metal sheet.....	148
Table V-9.	Dimensioning of cylindrical shells subjected to internal pressure.....	149
Table V-10.	Dimensioning of cylindrical elements subjected to external pressure.....	151
Table V-11.	Construction characteristics of dished heads.....	153
Table V-12.	Dimensioning of dished heads.....	155
Table V-13.	Holes in elements of the apparatus.....	157
Table V-14.	Reinforcement of a wall weakened by openings in elements under internal pressure.....	158
Table V-15.	Dimensioning of flat heads.....	160
Table V-16.	Selected methods of fixing tubes in the tube sheet.....	163
Table V-17.	Dimensioning of tube sheet.....	164
Table V-18.	Standard scope of application for steel round flanges.....	170
Table V-19.	Dimensioning of flange-screw connection.....	173
Table V-20.	Calculation parameters of gaskets.....	178
Table V-21.	Design of supports.....	179
Table V-22.	Selected bending conditions of a horizontal cylindrical shell...	185
Table V-23.	Compensation of thermal expansions.....	186

CHAPTER VI. DESIGN CHARACTERISTIC OF APPARATUS

ELEMENTS.....189

Figures

Fig. VI. 1.	Standard construction of vertical apparatus supports.....	255
Fig. VI.2.	Construction of supports used for horizontal apparatuses.....	256
Fig. VI.3.	Dimensions of a standard saddle supports (without of strengthening pad).....	257
Fig. VI.4.	Diagram for lug (bracket) support size determination.....	258
Fig. VI.5.	Dimensions of lug support elements.....	259

Tables

Table VI-1.	Standard diameters of constructional steel pipes used in heat exchangers.....	191
Table VI-2.	Fixed tubesheet heat exchanger - one pass tube-side, D_{out} = (159-508) mm.....	193
Table VI-3.	Fixed tubesheet heat exchanger - one pass tube-side, D_{in} = (600-1600) mm.....	197
Table VI-4.	Fixed tubesheet heat exchanger - two pass tube-side, D_{out} = (159-508) mm.....	202

Table VI-5.	Fixed tubesheet heat exchanger - two pass tube-side, $D_n = (600-1600)$ mm.....	206
Table VI-6.	Fixed tubesheet heat exchanger - three pass tube-side, $D_m = (600-1600)$ mm.....	210
Table VI-7.	Fixed tubesheet heat exchanger - four pass tube-side, $D_{m,} = (600-1600)$ mm.....	214
Table VI-8.	Fixed tubesheet heat exchanger - six pass tube-side, $D_m = (600-1600)$ mm.....	218
Table VI-9.	U-tube heat exchanger - two pass tube-side, $D_{m,} = (600-1400)$ mm.....	222
Table VI-10.	The arrangement and number of holes in tube sheets for hexagonal pitch - shell-and-tube heat exchangers - $D_n = (150-1600)$ mm.....	225
Table VI-11.	Ellipsoidal dished heads.....	235
Table VI-12.	Standard torispherical heads with internal diameter of $D_{in} = (600-3000)$ mm.....	237
Table VI-13.	Standard knuckle fiat head with internal diameter of $D_{in} = (600-3000)$ mm.....	238
Table VI-14.	Round fiat flanges with rebate for welding.....	239
Table VI-15.	Blind flanges.....	243
Table VI-16.	Weld neck flange.....	245
Table VI-17.	Flange sealing surfaces.....	251
Table VI-18.	Materials used for the production of seals.....	254
Table VI-19.	Shell bellows expansion joint - compensators.....	260
CHAPTER VII. CONSTRUCTION MATERIALS.....		263
Figures		
Fig. VII. 1.	Graphical interpretation of the limit temperature (t_{ui}) for steel 15HM forgings.....	267
Tables		
Table VII-1.	General destination of steel construction materials.....	265
Table VII-2.	Recommended steel grades for selected process conditions ...	267
Table VII-2.	Materiał cards for metallurgical steel products.....	268
REFERENCES.....		299